

Safety Data Sheet

Section 1 – Identification

Product Identifier: King Talc

Other means of Identification: Talc Powder

Name and Address of Responsible Parties: King Research, Inc 7025 W. Marcia Rd. Milwaukee, WI 53223

Information Telephone #: 1-800-222-8160 24 Hr. Emergency Telephone Number: INFOTRAC- 1-800-535-5053 International 24 Hr. Emergency Telephone Number: INFOTRAC – 1-352-323-3500 Contract # - 106253

Section 2 – Hazards Identification

Classification of the Chemical: Pink powder with a pleasant odor

This material is classified as hazardous under OSHA regulations (29 CFR 1910.1200) (Hazcom 2012).

Hazardous classification:	Acute Toxicity, Inhalation (Category 4)
	Specific Target Organ Toxicity – Single Exposure
	(Category 3)

Label elements:

Signal Word: Warning

- Hazard Statements: Harmful if inhaled May cause respiratory irritation
- Precautionary Statements:Do not breathe dust.
Use only outdoors or in a well-ventilated area.
If inhaled: Remove person to fresh air and keep
comfortable for breathing.
Call a doctor if you feel unwell.

Section 2 – Hazards Identification (continued)

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Dispose of contents/container in accordance with local, state, federal or international regulations.

Hazard Pictogram(s):



Other Hazards not otherwise classified: Not Applicable

Section 3 – Composition/Information on Ingredients

Chemical Name, Common Name	CAS #	Concentration wt/wt(*)
Talc	14807-96-6	> 50%

• Note: The exact concentrations of the chemical(s) above are being withheld as a trade secret.

Section 4 – First-Aid Measures

Description of first aid measures:

- *Inhalation:* Remove to fresh air immediately. If experiencing difficulty breathing, seek medical attention.
- Skin contact: In case of skin irritation or allergic reactions, see a physician.
- *Eye contact:* Immediately flush with water for at least 15 minutes, lifting the upper and lower eyelids intermittently, then see a medical doctor.
- *Ingestion:* Do not induce vomiting. Never give anything by mouth to an unconscious person. See a medical doctor immediately.

Most important symptoms and effects, both acute and delayed:

May cause mild skin irritation in some cases Can be harmful if inhaled May cause respiratory irritation if inhaled

Indication of any immediate medical attention and special treatment needed:

Treat symptomatically

Section 5 – Fire-Fighting Measures

Extinguishing media:

Suitable extinguishing media: Use water, dry chemical, carbon dioxide, or chemical foam.

Unsuitable extinguishing media: None.

Special hazards arising from the substance or mixture: None

Flammability classification: (OSHA 29 CFR 1910.106) (Hazcom 2012): Not flammable by OSHA/WHMIS criteria.

Hazardous combustion products: None known.

Special protective equipment and precautions for firefighters: Wear full protective clothing and self-contained breathing apparatus (SCBA) approved for firefighting. This is necessary to protect against the hazards of heat, products of combustion, and oxygen deficiency. Do not breathe smoke, gases, or vapors generated.

Section 6 – Accidental Release Measures

Personal precautions, protective equipment and emergency procedures: Ensure adequate ventilation. No special environmental precautions required.

Methods and materials for containment and clean up:

Wipe up with absorbent material.

Section 7 – Handling and Storage

Precautions for safe handling:

Do not get in eyes and avoid breathing dust.

Conditions for safe storage:

Store away from oxidizing agents. Keep in a dry place and protect from moisture.

Section 8 – Exposure Controls/Personal Protection

Exposure limits:

Chemical Name	TWA (ACGIH)	TWA (OSHA)
Talc (>50%)	$2mg/m^3$	2 mg/m^3

Exposure controls:

Ventilation and engineering measures: Ensure adequate ventilation

Section 8 – Exposure Controls/Personal Protection (continued)

Respiratory measures: Respiratory protection dependent upon airborne exposures.

Skin Protection: Skin protection recommended when manufacturing product.

Eye/face Protection: Eye and face protection recommended when manufacturing product.

Other Protective equipment: Ensure that eyewash stations and a safety shower are close to the workstation(s).

General hygiene considerations: Avoid contact with eyes. Avoid inhaling this product.

Section 9 – Physical and Chemical Properties

Appearance: Pink powder Odor: Pleasant odor Odor threshold: Not available **PH:** Not applicable Melting point: Not available Boiling point and boiling range: Not applicable Flash point: Not applicable Evaporation point (Butyl Acetate=1): Not applicable Flammability (method determination): Not applicable Lower flammability limit (% by vol.): Not available Upper flammability limit (% by vol.): Not available Vapor pressure: Not applicable Vapor density: Not applicable **Relative density:** ~2.75 Solubility in water: Not available. Partition Coefficient (n-octanol/water): Not available Auto ignition temperature: Not available **Decomposition temperature:** Not available Viscosity: Not applicable Volatiles (% by wt) = Not applicable Volatile organic compounds: Not applicable Other physical/chemical comments: None

Section 10 – Stability and Reactivity

Reactivity: Not reactive under normal storage and usage conditions.

Chemical stability: Stable under normal conditions.

Possibility of hazardous reactions: Hazardous polymerization does not occur.

Conditions to avoid: Contact with strong oxidizing agents.

Incompatible materials: Strong oxidizing agents.

Hazardous decomposition products: Magnesium oxide and silicon oxides are expected to be, under fire conditions, the primary hazardous decomposition products.

Section 11 – Toxicological Information

King Tate Pollitulation Toxicity		
Eye Contact	Can cause eye irritation	
Skin Contact	Can cause mild skin irritation	
Ingestion	Can be harmful if ingested	
Inhalation	Toxic if inhaled. Causes respiratory tract irritation.	

King Talc Formulation Toxicity

Acute Effects from Overexposure: May cause mild skin irritation. May cause respiratory irritation.

Chronic Effects from Overexposure: No data available

Sensitization: No data available

Carcinogenicity: IARC: Group 1 – Carcinogenic to humans, Rat – Inhalation.
 ACGIH: Group 3 – Not classifiable as to its carcinogenicity to humans (Hydrous Magnesium Silicate).
 OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen.

Mutagenicity: No data available

Reproductive Toxicity: No data available

Section 12 – Ecological Information

Ecotoxicological Information: No data available

Chemical Fate Information: No data available for this product.

Section 13 – Disposal Information

Handling for disposal: Handle in accordance with good industrial hygiene and safety practice. Refer to protective measures listed in Sections 7 and 8.

Methods of disposal: Dispose in accordance with all applicable federal, state, provincial and local regulation. Contact your federal, state, provincial and local authorities for specific rules.

Section 14 – Transportation Information

US 49 CFR/DOT Hazard Classification: UN No.: Not DOT Regulated UN Proper shipping name: Not Applicable Transport hazard class: None Labels: None Packing group: Not Applicable Marine Pollutant: No PIH: Not designated Poison Inhalation Hazard by US DOT.

Section 15 – Regulatory Information

US Federal Information:

Section 311 Hazard Category (40 CFR 370): Acute health hazard, chronic health hazard.

Section 313 Reportable Ingredients (40 CFR 372): This product does not contain any chemical components with known CAS numbers that exceed the threshold reporting levels established by SARA title III, Section 313.

Section 302 Extremely Hazardous Substances (40 CFR 355): Not Listed CERCLA Hazardous Substance (40 CFR 302.4): Not Listed

Section 16 – Other Information

Abbreviations Legend:

ACGIH: American Conference of Governmental Industrial Hygienist **CAS:** Chemical abstract Services **CERCLA:** Comprehensive Environmental Response, Compensation, and Liability Act of 1986 **CFR:** Code of Federal Regulations CSA: Canadian Standards Association **DOT:** Department of Transportation ECOTOX: U.S. EPA Ecotoxicology Database **EINECS:** European Inventory of Existing Commercial chemical Substances **EPA:** Environmental Protection agency **HSDB:** Hazardous Substances database **IARC:** International Agency for Research on Cancer **IBC:** Intermediate Bulk Container **IUCLID:** International Uniform Chemical Information Database LC: Lethal Concentration LD: Lethal Dose NIOSH: National Institute of Occupational Safety and Health **NTP:** National Toxicology Program **OECD:** Organization for Economic Cooperation and Development **PEL:** Permissible exposure limit **RCRA:** Resource Conservation and Recovery Act **RTECS:** Registry of Toxic Effects of Chemical Substances SARA: Superfund Amendments and Reauthorization Act

Section 16 – Other Information (Continued)

SDS: Safety Data Sheet
STEL: Short Term Exposure Limit
TDG: Canadian Transportation of Dangerous Goods Act & Regulations
TLV: Threshold Limit Values
TWA: Time Weighted Average
WHMIS: Workplace Hazardous Materials Identification System

Disclaimer

The information continued herein is based on the manufactures' own study and the work of others, implied, as to the accuracy, completeness or adequacy of the information contained herein, and neither the provider nor the manufacturer (nor the agents, directors, officers, contractors or employees of either) are liable to any party for any damages of any nature, including direct, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnishing of any information in this SDS, or in any other way related (directly or indirectly) to this SDS. The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for the safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any other process.

End of Document