

25% MORE

## CLIPPERCIDE SPRAY

**DISINFECTS & LUBRICATES:** Effective bactericidal, fungicidal, virucidal\* and tuberculocidal action. A thin film of lubricant remains behind to reduce friction and permit clippers to run smoother.

**CLEANS & COOLS:** CLIPPERCIDE Spray blows hair and dirt out from between the teeth; cleaning and at the same time cooling the blades.

**LONGER LIFE:** Regular use of CLIPPERCIDE will help give clipper blades longer cutting life and will keep them sharper with crisper cutting action.

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

Causes skin irritation. Harmful if inhaled. Causes moderate eye irritation. Do not get on skin or on clothing. Avoid contact with eyes. Avoid breathing spray mist. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

**PHYSICAL AND CHEMICAL HAZARDS:** Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures >130°F may cause bursting.

**WARNING:** This product contains o-phenylphenol, a chemical known to the State of California to cause cancer in accordance with Proposition 65 (State of California Safe Drinking Water and Toxic Enforcement Act of 1986).

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **DISINFECTION DIRECTIONS:** Thoroughly clean clipper blades, removing any organic soil. Hold can upright about 6" to 8" away from surface with clipper turned off. Spray CLIPPERCIDE through teeth of clipper blades covering all surfaces after each use. Keep surfaces moist for 10 minutes. Allow to air dry.

**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATING AGAINST HIV-1 (AIDS VIRUS) ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.** **PERSONAL PROTECTION:** Wear disposable gloves, gowns, masks and eye coverings when handling items soiled with blood or body fluids. **CLEANING PROCEDURE:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this disinfectant. **CONTACT TIME:** After surface is cleaned, hold can upright and spray six to eight inches from surface to be treated until surface becomes wet. Leave surface wet for 10 minutes. **DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids and cleaning materials removed from surfaces/objects should be autoclaved and disposed of according to Federal State and local regulations for infectious waste disposal.

**PERFORMANCE:** On precleaned, hard, nonporous environmental surfaces CLIPPERCIDE Spray was found to be effective as a germicide (against *Pseudomonas aeruginosa*, *Salmonella enterica* and *Staphylococcus aureus*, including *Staphylococcus aureus* Methicillin Resistant (MRSA); as a fungicide (against *Trichophyton mentagrophytes*); as a virucide\* (against Human Immunodeficiency Virus Type 1 (AIDS VIRUS) (in 5% serum), Influenza A Virus (in 5% serum), and Herpes simplex Virus Type 1 and Type 2 (in 5% serum)), and as a tuberculocide (against *Mycobacterium bovis*) When used undiluted at 20°C (68°F) for 10 minutes following removal of heavy soil and thorough cleaning.

25% MORE

Germicidal, Fungicidal,  
Pseudomonicidal, Virucidal\*  
and Tuberculocidal

**CLIPPERCIDE®**  
*Spray*

For Hair Clippers

FOR USE BY HAIRDRESSERS, STYLISTS,  
ANIMAL GROOMERS AND VETERINARIANS

### 5-IN-1 FORMULA

- DISINFECTS
- LUBRICATES
- CLEANS
- COOLS
- ANTI-RUST

#### ACTIVE INGREDIENTS:

ISOPROPANOL .....	45.60%
O-PHENYLPHENOL .....	0.41%
INERT INGREDIENTS .....	53.99%
TOTAL .....	100.00%

**DANGER: EXTREMELY FLAMMABLE**  
KEEP OUT OF REACH OF CHILDREN

#### FIRST AID

**IF ON SKIN:** Remove contaminated clothing. Rinse with water for 15-20 minutes. Call a poison control center or doctor for advice. **IF INHALED:** Move person to fresh air. If not breathing call 911 then give artificial respiration preferably mouth-to-mouth. Call a poison control center or doctor for advice. **IF IN EYES:** Hold eye open and rinse slowly with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes then continue rinsing. Call a poison control center or doctor for advice. **IF SWALLOWED:** Call a poison control center or doctor for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told by a poison control center or doctor.

In the case of an emergency, for additional information call (800) 222-8160. Have the product container or label with you when calling a poison control center or a doctor or going for treatment.

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS  
**15 OZ. NET WEIGHT 425 G.**  
KING RESEARCH INC., 7025 WEST MARCIA ROAD, MILWAUKEE, WI 53223  
EPA REG. NO 954-10 EPA EST. NO. 3657-WI-2

**STORAGE & DISPOSAL:** Do not contaminate water, food, or feed by storage and disposal. **Pesticide Storage:** Store upright in cool dry place. **Pesticide Disposal:** Waste from the use of this container may be disposed of on site or at an approved waste disposal facility. **Container Disposal:** This container may be recycled in aerosol recycling centers. Before recycling, empty the can (DO NOT PUNCTURE). If recycling is not available, wrap the container in several layers of newspaper and discard in trash.



DOT 2Q MS749 DSC Q11425-011

